

L Number	Hits	Search Text	DB	Time stamp
1	1753	piston adj pin	USPAT	2004/06/02 13:14
2	3891	(piston adj pin) (pin near (smaller or larger))	USPAT	2004/06/02 13:15
3	12715	((piston adj pin) (pin near (smaller or larger))) ((center or central or middle or intermediate) near pin)	USPAT	2004/06/02 13:15
4	78	(piston adj pin) and ((center or central or middle or intermediate) near pin)	USPAT	2004/06/02 13:16
5	19	((piston adj pin) and ((center or central or middle or intermediate) near pin)) and ((center or central or middle or intermediate) with (smaller or larger))	USPAT	2004/06/02 13:31
6	9	("1489111" "1491155" "1772187" "2100525" "2722049" "3479929" "3489442" "3943908" "5367945").PN.	USPAT	2004/06/02 13:21
7	7	1491155.URPN.	USPAT	2004/06/02 13:24
8	3	5661904.URPN.	USPAT	2004/06/02 13:26
9	11	("1489111" "1491155" "1684862" "1772187" "2043013" "2100525" "2851319" "3479929" "3943908" "3971355" "5367945").PN.	USPAT	2004/06/02 13:27
10	4	5549034.URPN.	USPAT	2004/06/02 13:30
11	0	(connecting adj rod) near (phosphatized)	USPAT	2004/06/02 13:31
12	2	(connecting adj rod) with (phosphat? near (coat or coating))	USPAT	2004/06/02 13:34
13	6	(rod) with (phosphat? near (coat or coating))	USPAT	2004/06/02 13:38
14	1	((piston adj pin) and ((center or central or middle or intermediate) near pin)) and ((center or central or middle or intermediate) with (smaller or larger))) and coating	USPAT	2004/06/02 13:47
15	27	phosphatized near coating	USPAT	2004/06/02 14:06
16	0	(pin adj bore) with (relief adj channels)	USPAT	2004/06/02 14:07
17	0	(pin adj bore) same (relief adj channels)	USPAT	2004/06/02 14:07
18	13	(pin adj bore) with (channels)	USPAT	2004/06/02 14:07
19	0	((pin adj bore) with (channels)) and ((piston adj pin) or (wrist adj pin))	USPAT	2004/06/02 14:08
20	498	((piston adj pin) or (wrist adj pin)) with bore	USPAT	2004/06/02 14:08
21	270942	((piston adj pin) or (wrist adj pin)) with bore) (bore with channels or grooves)	USPAT	2004/06/02 14:08
22	267	((piston adj pin) or (wrist adj pin)) with bore) and (bore with channels or grooves)	USPAT	2004/06/02 14:10
23	8	((piston adj pin) or (wrist adj pin)) with bore) and (bore with channels)	USPAT	2004/06/02 14:26
24	11	US-0448766-\$.DID. OR US-0491974-\$.DID. OR US-2202773-\$.DID. OR US-3935797-\$.DID. OR US-4430906-\$.DID. OR US-4974498-\$.DID. OR US-5158695-\$.DID. OR US-5255592-\$.DID. OR US-5257603-\$.DID. OR US-5352541-\$.DID. OR US-5592927-\$.DID.	USPAT	2004/06/02 14:28
25	3	(US-0448766-\$.DID. OR US-0491974-\$.DID. OR US-2202773-\$.DID. OR US-3935797-\$.DID. OR US-4430906-\$.DID. OR US-4974498-\$.DID. OR US-5158695-\$.DID. OR US-5255592-\$.DID. OR US-5257603-\$.DID. OR US-5352541-\$.DID. OR US-5592927-\$.DID.) and phosphat?	USPAT	2004/06/02 14:29

26	6	US-5836280-\$.DID. OR US-RE37565-\$.DID. OR	USPAT	2004/06/02
		US-6446436-\$.DID. OR US-6491013-\$.DID. OR		14:54
27	10	US-6497771-\$.DID. OR US-6557457-\$.DID.	USPAT	2004/06/02
		("1356695" "1508079" "1939959"		14:34
		"2341592" "2966382" "3307456"		
		"3971355" "4256022" "4354426"		
		"4727795").PN.		
28	10	("1356695" "1508079" "1939959"	USPAT	2004/06/02
		"2341592" "2966382" "3307456"		14:35
		"3971355" "4256022" "4354426"		
		"4727795").PN.		
29	0	RE37565.URPN.	USPAT	2004/06/02
				14:37
30	0	RE37565.URPN.	USPAT	2004/06/02
				14:37
31	0	RE37565.URPN.	USPAT	2004/06/02
				14:37
32	7	tapered near (connecting adj rod)	USPAT	2004/06/02
				14:55
33	0	taper? near (connecting adj rod)	USPAT	2004/06/02
				14:55
34	16	taper? with (connecting adj rod)	USPAT	2004/06/02
				14:57
35	88436	123/\$.ccls.	USPAT	2004/06/02
				14:57
36	29	123/\$.ccls. and ((taper or tapering or	USPAT	2004/06/02
		tapered or tapers) with (connecting adj		15:41
		rod))		
37	154	123/197.3.ccls.	USPAT	2004/06/02
				15:02
38	319	123/197.4.ccls.	USPAT	2004/06/02
				15:04
39	775	123/193.6.ccls.	USPAT	2004/06/02
				15:05
40	279	123/193.6.ccls. and (connecting adj rod)	USPAT	2004/06/02
				15:41
41	399	92/187.ccls.	USPAT	2004/06/02
				15:42
42	0	92/187.ccls. and ((taper or tapering or	USPAT	2004/06/02
		tapered or tapers) near pin)		15:42
43	14	92/187.ccls. and (reduced adj diameter)	USPAT	2004/06/02
				15:42
44	113	92/223.ccls.	USPAT	2004/06/02
				15:42

REST AVAILABLE COPY

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.